*Evolutionary Ecology*, 1992, **6**, 537–542

# Indexes to Volume 6 of Evolutionary Ecology

## SUBJECT INDEX

Adaptive behaviour; adaptive mate choice; by-products; runaway evolution; second sexual traits; proximate cues; ultimate reasons; proximate mechanisms; frequency-dependence; peacocks; trail sizes; sexual selection; 261
Adaptive mate choice; by-products; runaway evolution; second sexual traits; proximate cues; ultimate reasons; proximate mechanisms; frequency-dependence; peacocks; trail sizes; sexual selection; adaptive behaviour; 261
Adult size; development time; host size; covariance; life-history strategy; parasitoid; pea aphid; *Aphidius ervi*; 34
Age; clutch size; fledgling success; gulls; growth curve; analysis; *Larus*; reproductive effort; reproductive strategies; senescence; Tucker analysis; 279
Aggregation; ephemeral patches; soft selection; *Drosophila*; polymorphism; 342
Altruism; selection; inclusion fitness; group selection; population viscosity; 331
Altruism; inclusive fitness; competition; viscosity; 352
Analysis; *Larus*; reproductive effort; reproductive strategies; senescence; Tucker analysis; age; clutch size; fledgling success; gulls; growth curve; 279
*Aphidius ervi*; adult size; development time; host size; covariance; life-history strategy; parasitoid; pea aphid; 34
Archipelagos; birds; endemic species; Pacific Ocean; 296
Assessment; displays; communication; combat; fighting ability; individual identity; signals; information; 254

Bees; departure rules; optimal foraging theory; 142
Birds; endemic species; Pacific Ocean; Archipelagos; 296
Body size scaling; invariants – life histories; population growth – Fowler's Rules; dimensional analysis; mammals – population growth; symmetry; 307
By-products; runaway evolution; second sexual traits; proximate cues; ultimate reasons; proximate mechanisms; frequency-dependence; peacocks; trail sizes; sexual selection; adaptive behaviour; adaptive mate choice; 261

Clinal variations; seasonal variations; preoviposition period; reactivity to insemination; natural populations; 223
Clutch size; state-dependent behaviour; life-history theory; 170
Clutch size; state-dependent behaviour; phenotypic plasticity; life-history theory; 243
Clutch size; fledgling success; gulls; growth curve; analysis; *Larus*; reproductive effort; reproductive strategies; senescence; Tucker analysis; age; 279
Coevolution; community structure; granivores; herbivores; predation; productivity; 15
Colour pattern; natural selection; snakes; *Nerodia sipedon*; crypsis; 115
Combat; fighting ability; individual identity; signals; information; assessment; displays; communication; 254
Commencement of breeding; cooperative breeding; reproductive success; helper number; second broods; 97
Communication; combat; fighting ability; individual identity; signals; information; assessment; displays; 254
Community structure; granivores; herbivores; predation; productivity; coevolution; 15

0269–7653
© 1992 Chapman & Hall

Community structure; Hawaii; morphological analyses; principal components; Narcissus effect; introduced finches; 45
Consumer–resource interaction; predator–prey interaction; stratigraphy; spectrum; food chain; 73
Cooperative breeding; reproductive success; helper number; second broods; commencement of breeding; 97
Costs of habitat selection; dispersal; habitat selection; landscape ecology; patch choice; small mammals; spatial scale; 412
Covariance; life-history strategy; parasitoid; pea aphid; *Aphidius ervi*; adult size; development time; host size; 34
Crypsis; colour pattern; natural selection; snakes; *Nerodia sipedon*; 115

Deer; foraging experiment; optimal diet; risk-sensitive foraging; twig selection; 125
Departure rules; optimal foraging theory; bees; 142
Development time; host size; covariance; life-history strategy; parasitoid; pea aphid; *Aphidius ervi*; adult size; 34
Dimensional analysis; mammals – population growth; symmetry; body size scaling; invariants – life histories; population growth – Fowler's Rules; 307
Dispersal; community structure; fragmentation; habitat selection; landscape composition; landscape matrix; population dynamics; source-sink models; 399
Displays; communication; combat; fighting ability; individual identity; signals; information; assessment; 254
*Drosophila*; polymorphism; aggregation; ephemeral patches; soft selection; 342
Dynamics of adaptation; optimal foraging; predator–prey cycles; stability; type-2 functional response; 56

Endemic species; Pacific Ocean; Archipelagos; birds; 296
Ephemeral patches; soft selection; *Drosophila*; polymorphism; aggregation; 342
Evolution; parental care; resource allocation; evolutionary stable strategies; inclusive fitness; menopause; 187
Evolution; habitat selection; life history; litter size; Ontario; *Peromyscus*; seasonality; 1
Evolution in function space; superparasitism; optimal foraging theory; evolutionary stable strategies; quantitative genetics; 152
Evolutionary stable strategies; inclusive fitness; menopause; evolution; parental care; resource allocation; 187
Evolutionary stable strategies; quantitative genetics; evolution in function space; superparasitism; optimal foraging theory; 152
Evolutionary stable strategies; game theory; fighting; spiders; 198

Fighting; spiders; evolutionary stable strategies, game theory; 198
Fighting ability; individual identity; signals; information; assessment; displays; communication; combat; 254
Fledgling success; gulls; growth curve; analysis; *Larus*; reproductive effort; reproductive strategies; senescence; Tucker analysis; age; clutch size; 279
Food chain; consumer–resource interaction; predator–prey interaction; stratigraphy; spectrum; 73
Foraging experiment; optimal diet; risk-sensitive foraging; twig selection; deer; 125
Frequency-dependence; peacocks; trail sizes; sexual selection; adaptive behaviour; adaptive mate choice; by-products; runaway evolution; second sexual traits; proximate cues; ultimate reasons; proximate mechanisms; 261
Fundamental niche; adaptation; spatial scale; conservative evolution; stasis; 433

Game theory; fighting; spiders; evolutionary stable strategies; 198
Genetic models; inbreeding depression; mating cost; Hymenoptera; 312
Granivores; herbivores; predation; productivity; coevolution; community structure; 15
Group selection; population viscosity; altruism; selection; inclusion fitness; 331
Growth curve; analysis; *Larus*; reproductive effort; reproductive strategies; senescence; Tucker analysis; age; clutch size; fledgling success; gulls; 279

Gulls; growth curve; analysis; *Larus*; reproductive effort; reproductive strategies; senescence; Tucker analysis; age; clutch size; fledgling success; 279
Guppies; Prisoner's Dilemma; Tit-For-Tat; 519

Habitat selection; migration; evolutionary stable strategy; fitness set; frequency-dependent selection; evolution of specialization; landscape ecology; adaptive surface; 360
Habitat selection; life history; litter size; Ontario; *Peromyscus*; seasonality; evolution; 1
Hawaii; morphological analyses; principal components; Narcissus effect; introduced finches; community structure; 45
Helper number; second broods; commencement of breeding; cooperative breeding; reproductive success; 97
Herbivores; predation; productivity; coevolution; community structure; granivores; 15
Host size; covariance; life-history strategy; parasitoid; pea aphid; *Aphidius ervi*; adult size; development time; 34
Hymenoptera; genetic models; inbreeding depression; mating cost; 312

Inbreeding depression; mating cost; Hymenoptera; genetic models; 312
Inclusion fitness; group selection; population viscosity; altruism; selection; 331
Inclusive fitness; competition; viscosity; altruism; 352
Inclusive fitness; menopause; evolution; parental care; resource allocation; evolutionary stable strategies; 187
Individual identity; signals; information; assessment; displays; communication; combat; fighting ability; 254
Information; assessment; displays; communication; combat; fighting ability; individual identity; signals; 254
Introduced finches; community structure; Hawaii; morphological analyses; principal components; Narcissus effect; 45
Invariants – life histories; population growth – Fowler's Rules; dimensional analysis; mammals – population growth; symmetry; body size scaling; 307

*Larus*; reproductive effort; reproductive strategies; senescence; Tucker analysis; age; clutch size; fledgling success; gulls; growth curve; analysis; 279
Life history; litter size; Ontario; *Peromyscus*; seasonality; evolution; habitat selection; 1
Life history evolution; phenology; optimal control theory; modularity; 482
Life history evolution; models; optimal control theory; phenology; 500
Life-history strategy; parasitoid; pea aphid; *Aphidius ervi*; adult size; development time; host size; covariance; 34
Life-history theory; clutch size; state-dependent behaviour; 170
Life-history theory; clutch size; state-dependent behaviour; phenotypic plasticity; 243
Litter size; Ontario; *Peromyscus*; seasonality; evolution; habitat selection; life history; 1
Local mate competition; sex ratio theory; *Pachycrepoideus vindemiae*; 270

Mammals – population growth; symmetry; body size scaling; invariants – life histories; population growth – Fowler's Rules; dimensional analysis; 307
Mating cost; Hymenoptera; genetic models; inbreeding depression; 312
Menopause; evolution; parental care; resource allocation; evolutionary stable strategies; inclusive fitness; 187
Morphological analyses; principal components; Narcissus effect; introduced finches; community structure; Hawaii; 45

Narcissus effect; introduced finches; community structure; Hawaii; morphological analyses; principal components; 45
Natural populations; clinal variations; seasonal variations; preoviposition period; reactivity to insemination; 223
Natural selection; snakes; *Nerodia sipedon*; crypsis; colour pattern; 115
*Nerodia sipedon*; crypsis; colour pattern; natural selection; snakes; 115

Ontario; *Peromyscus*; seasonality; evolution; habitat selection; life history; litter size; 1
Optimal control theory; life history theory; reproductive allocation; *Desmognathus*; 458
Optimal diet; risk-sensitive foraging; twig selection; deer; foraging experiment; 125
Optimal foraging; predation; predator–prey interactions; mathematical models; 449
Optimal foraging; predator–prey cycles; stability; type-2 functional response; dynamics of adaptation; 56
Optimal foraging theory; bees; departure rules; 142
Optimal foraging theory; evolutionary stable strategies; quantitative genetics; evolution in function space; superparasitism; 152

*Pachycrepoideus vindemiae*; local mate competition; sex ratio theory; 270
Pacific Ocean; Archipelagos; birds; endemic species; 296
Parasitoid; pea aphid; *Aphidius ervi*; adult size; development time; host size; covariance; life-history strategy; 34
Parental care; resource allocation; evolutionary stable strategies; inclusive fitness; menopause; evolution; 187
Patch use; predation; productivity; spatial heterogeneity; trophic exploitation; 383
Pea aphid; *Aphidius ervi*; adult size; development time; host size; covariance; life-history strategy; parasitoid; 34
Peacocks; trail sizes; sexual selection; adaptive behaviour; adaptive mate choice; by-products; runaway evolution; second sexual traits; proximate cues; ultimate reasons; proximate mechanisms; frequency-dependence; 261
*Peromyscus*; seasonality; evolution; habitat selection; life history; litter size; Ontario; 1
Phenotypic plasticity; life-history theory; clutch size; state-dependent behaviour; 243
Polymorphism; aggregation; ephemeral patches; soft selection; *Drosophila*; 342
Population growth – Fowler's Rules; dimensional analysis; mammals – population growth; symmetry; body size scaling; invariants – life histories; 307
Population viscosity; altruism; selection; inclusion fitness; group selection; 331
Predation; productivity; coevolution; community structure; granivores; herbivores; 15
Predator–prey cycles; stability; type-2 functional response; dynamics of adaptation; optimal foraging; 56
Predator–prey interaction; stratigraphy; spectrum; food chain; consumer–resource interaction; 73
Preoviposition period; reactivity to insemination; natural populations; clinal variations; seasonal variations; 223
Principal components; Narcissus effect; introduced finches; community structure; Hawaii; morphological analyses; 45
Prisoner's Dilemma; Tit-For-Tat; guppies, 519
Productivity; coevolution; community structure; granivores; herbivores; predation; 15
Proximate cues; ultimate reasons; proximate mechanisms; frequency-dependence; peacocks; trail sizes; sexual selection; adaptive behaviour; adaptive mate choice; by-products; runaway evolution; second sexual traits; 261
Proximate mechanisms; frequency-dependence; peacocks; trail sizes; sexual selection; adaptive behaviour; adaptive mate choice; by-products; runaway evolution; second sexual traits; proximate cues; ultimate reasons; 261

Quantitative genetics; evolution in function space; superparasitism; optimal foraging theory; evolutionary stable strategies; 152

Reactivity to insemination; natural populations; clinal variations; seasonal variations; preoviposition period; 223
Reproductive effort; reproductive strategies; senescence; Tucker analysis; age; clutch size; fledgling success; gulls; growth curve; analysis; *Larus*; 279
Reproductive strategies; senescence; Tucker analysis; age; clutch size; fledgling success; gulls; growth curve; analysis; *Larus*; reproductive effort; 279

Reproductive success; helper number; second broods; commencement of breeding; cooperative breeding; 97
Resource allocation; evolutionary stable strategies; inclusive fitness; menopause; evolution; parental care; 187
Risk-sensitive foraging; twig selection; deer; foraging experiment; optimal diet; 125
*Romalea guttata*; *Lanius ludovicianus*; chemical defences; predation; impaling; defensive behaviour; 527
Runaway evolution; second sexual traits; proximate cues; ultimate reasons; proximate mechanisms; frequency-dependence; peacocks; trail sizes; sexual selection; adaptive behaviour; adaptive mate choice; by-products; 261

Seasonal variations; preoviposition period; reactivity to insemination; natural populations; clinal variations; 223
Seasonality; evolution; habitat selection; life history; litter size; Ontario; *Peromyscus*; 1
Second broods; commencement of breeding; cooperative breeding; reproductive success; helper number; 97
Second sexual traits; proximate cues; ultimate reasons; proximate mechanisms; frequency-dependence; peacocks; trail sizes; sexual selection; adaptive behaviour; adaptive mate choice; by-products; runaway evolution; 261
Selection; inclusion fitness; group selection; population viscosity; altruism; 331
Senescence; Tucker analysis; age; clutch size; fledgling success; gulls; growth curve; analysis; *Larus*; reproductive effort; reproductive strategies; 279
Sex ratio theory; *Pachycrepoideus vindemiae*; local mate competition; 270
Sexual selection; adaptive behaviour; adaptive mate choice; by-products; runaway evolution; second sexual traits; proximate cues; ultimate reasons; proximate mechanisms; frequency-dependence; peacocks; trail sizes; 261
Signals; information; assessment; displays; communication; combat; fighting ab' y; individual identity; 254
Snakes; *Nerodia sipedon*; crypsis; colour pattern; natural selection; 115
Soft selection; *Drosophila*; polymorphism; aggregation; ephemeral patches; 342
Spectrum; food chain; consumer–resource interaction; predator–prey interaction; stratigraphy; 73
Spiders; evolutionary stable strategies; game theory; fighting; 198
Stability; type-2 functional response; dynamics of adaptation; optimal foraging; predator–prey cycles; 56
State-dependent behaviour; life-history theory; clutch size; 170
State-dependent behaviour; phenotypic plasticity; life-history theory; clutch size; 243
Stratigraphy; spectrum; food chain; consumer–resource interaction; predator–prey interaction; 73
Superparasitism; optimal foraging theory; evolutionary stable strategies; quantitative genetics; evolution in function space; 152
Symmetry; body size scaling; invariants – life histories; population growth – Fowler's Rules; dimensional analysis; mammals – population growth; 307

Tit-For-Tat; guppies; Prisoner's Dilemma; 519
Trail sizes; sexual selection; adaptive behaviour; adaptive mate choice; by-products; runaway evolution; second sexual traits; proximate cues; ultimate reasons; proximate mechanisms; frequency-dependence; peacocks; 261
Tucker analysis; age; clutch size; fledgling success; gulls; growth curve; analysis; *Larus*; reproductive effort; reproductive strategies; senescence; 279
Twig selection; deer; foraging experiment; optimal diet; risk-sensitive foraging; 125
Type-2 functional response; dynamics of adaptation; optimal foraging; predator–prey cycles; stability; 56

Ultimate reasons; proximate mechanisms; frequency-dependence; peacocks; trail sizes; sexual selection; adaptive behaviour; adaptive mate choice; by-products; runaway evolution; second sexual traits; proximate cues, 261

## AUTHOR INDEX

Abrams, P. A., 56, 449
Adler, G. H., 296
Alfieri, M., 519

Boulétreau-Merle, J., 223
Brown, J. S., 357, 360

Charnov, E. L., 307
Cohen, J. E., 73

Danielson, B. J., 399
Dugatkin, L. A., 331, 519
Dytham, C., 342

Fouillet, P., 223
Fox, G. A., 482, 500

Gaines, M. S., 433
Getz, W. M. 312
Gyllenberg, M., 383

Hack, M. A., 254
Heinsohn, R. G., 97
Holt, R. D., 433
Hom, C. L., 458
Houston, A. I., 170, 243

Kadmon, R., 142
Kaitala, V., 312
King, R. B., 115

Lockwood, J. L., 45
Luck, R. F., 270
Łuczak, T., 73

Mackauer, M., 34
Mangel, M., 152
McNamara, J. M., 170, 243
Mesterton-Gibbons, M., 198
Morris, D. W., 1, 357, 412
Moulton, M. P., 45

Nadel, H., 270

Oksanen, T., 383
Oksanen, L., 15, 383

Pavlovic, N. B., 360
Pollock, G. B., 331
Pugesek, B. H., 279

Ratnieks, F. L. W., 312
Roach, D. A., 187
Rosenzweig, M. L., 90
Rubenstein, D. I., 254

Schmitz, O. J., 125
Sequeira, R., 34
Shmida, A., 142
Shorrocks, B., 342

Taylor, P. D., 352
Terrier, O., 223

Vetault, S., 90

Whitman, D. W., 527
Wilson, D. S., 331
Wood, P., 279

Yosef, R., 527
Yoshimura, J., 261